

ELECTRICAL PRODUCTS CATALOG



EMT Conduit-Hot-Dip-Galvanized EMT Tubo Hot-Dip-Galvanizado

UL Listed to Underwriters Laboratories Safety Standard UL 797
Manufactured in accordance with ANSI C80.3

| CAT# | Trade Size | Outside Dia. | Wall Thickness | Length |
|--------|------------|--------------|----------------|--------|
| | | mm | mm | ft. |
| EPH050 | 1/2" | 17.93 | 1.07 | 10 |
| EPH075 | 3/4" | 23.42 | 1.24 | 10 |
| EPH100 | 1" | 29.54 | 1.45 | 10 |
| EPH125 | 1-1/4" | 38.35 | 1.65 | 10 |
| EPH150 | 1-1/2" | 44.20 | 1.65 | 10 |
| EPH200 | 2" | 55.80 | 1.65 | 10 |
| EPH250 | 2-1/2" | 73.03 | 1.83 | 10 |
| EPH300 | 3" | 88.90 | 1.83 | 10 |
| EPH350 | 3-1/2" | 101.60 | 2.11 | 10 |
| EPH400 | 4" | 114.30 | 2.11 | 10 |



EMT Conduit-Pre-Galvanized-Standard EMT Tubo Galvanizado

| CAT# | Trade Size | Outside Dia. | Wall Thickness | Length |
|--------|------------|--------------|----------------|--------|
| | | mm | mm | ft. |
| EPS050 | 1/2" | 17.93 | 1.07 | 10 |
| EPS075 | 3/4" | 23.42 | 1.24 | 10 |
| EPS100 | 1" | 29.54 | 1.45 | 10 |
| EPS125 | 1-1/4" | 38.35 | 1.65 | 10 |
| EPS150 | 1-1/2" | 44.20 | 1.65 | 10 |
| EPS200 | 2" | 55.80 | 1.65 | 10 |
| EPS250 | 2-1/2" | 73.03 | 1.83 | 10 |
| EPS300 | 3" | 88.90 | 1.83 | 10 |
| EPS350 | 3-1/2" | 101.60 | 2.11 | 10 |
| EPS400 | 4" | 114.30 | 2.11 | 10 |

EMT Conduit-Pre-Galvanized-Economical EMT Tubo Galvanizado-Tipo Economico

| CAT# | Trade Size | Outside Dia. mm | Wall Thickness (mm) | | Length mm |
|--------|------------|--------------------|---------------------|-----|--------------|
| | | | (1) | (2) | |
| EPT050 | 1/2" | 17.93 | 0.9 | 0.7 | 3000 |
| EPT075 | 3/4" | 23.42 | 1.1 | 0.9 | 3000 |
| EPT100 | 1" | 29.54 | 1.1 | 1.0 | 3000 |
| EPT125 | 1-1/4" | 38.35 | 1.4 | 1.1 | 3000 |
| EPT150 | 1-1/2" | 44.20 | 1.4 | 1.3 | 3000 |
| EPT200 | 2" | 55.80 | 1.4 | 1.3 | 3000 |
| EPT250 | 2-1/2" | 73.03 | 1.6 | 1.3 | 3000 |
| EPT300 | 3" | 88.90 | 1.6 | 1.3 | 3000 |
| EPT350 | 3-1/2" | 101.60 | 1.6 | 1.3 | 3000 |
| EPT400 | 4" | 114.30 | 1.6 | 1.3 | 3000 |

EMT Elbow 90° - Pre-Galvanized Curva EMT 90°



| CAT# | Trade Size | Radius (mm) |
|-------|------------|-------------|
| EE050 | 1/2" | 102 |
| EE075 | 3/4" | 114 |
| EE100 | 1" | 146 |
| EE125 | 1-1/4" | 184 |
| EE150 | 1-1/2" | 210 |
| EE200 | 2" | 241 |
| EE250 | 2-1/2" | 267 |
| EE300 | 3" | 330 |
| EE400 | 4" | 406 |

Hot-dip galvanized is available as required

EMT Elbow 45° - Pre-Galvanized Curva EMT 45°



| CAT# | Trade Size | Radius (mm) |
|--------|------------|-------------|
| HEE050 | 1/2" | 304 |
| HEE075 | 3/4" | 380 |
| HEE100 | 1" | 457 |
| HEE125 | 1-1/4" | 609 |
| HEE150 | 1-1/2" | 762 |
| HEE200 | 2" | 914 |

Hot-dip galvanized is available as required

EMT Connector Set Screw Type

Conector EMT Con Tornillo

Material: Steel with Zinc Coating
Standard: UL 514B
1/2"~1" with 1 Screw
1-1/4"~4" with 2 Screws



| CAT# | Trade Size |
|-------|------------|
| S3050 | 1/2" |
| S3075 | 3/4" |
| S3100 | 1" |
| S3125 | 1-1/4" |
| S3150 | 1-1/2" |
| S3200 | 2" |
| S3250 | 2-1/2" |
| S3300 | 3" |
| S3350 | 3-1/2" |
| S3400 | 4" |

EMT Connector Compression Type

Conector EMT A Compresion

Material: Steel with Zinc Coating
Standard: UL 514B



| CAT# | Trade Size |
|--------|------------|
| S3C050 | 1/2" |
| S3C075 | 3/4" |
| S3C100 | 1" |
| S3C125 | 1-1/4" |
| S3C150 | 1-1/2" |
| S3C200 | 2" |
| S3C250 | 2-1/2" |
| S3C300 | 3" |
| S3C350 | 3-1/2" |
| S3C400 | 4" |

EMT Coupling Set Screw Type

Copla EMT Con Tornillo

Material: Steel with Zinc Coating
Standard: UL 514B
1/2"~1" with 2 Screws
1-1/4"~4" with 4 Screws



| CAT# | Trade Size |
|-------|------------|
| S4050 | 1/2" |
| S4075 | 3/4" |
| S4100 | 1" |
| S4125 | 1-1/4" |
| S4150 | 1-1/2" |
| S4200 | 2" |
| S4250 | 2-1/2" |
| S4300 | 3" |
| S4350 | 3-1/2" |
| S4400 | 4" |

EMT Coupling Compression Type

Copla EMT A Compresion

Material: Steel with Zinc Coating
Standard: UL 514B



| CAT# | Trade Size |
|--------|------------|
| S4C050 | 1/2" |
| S4C075 | 3/4" |
| S4C100 | 1" |
| S4C125 | 1-1/4" |
| S4C150 | 1-1/2" |
| S4C200 | 2" |
| S4C250 | 2-1/2" |
| S4C300 | 3" |
| S4C350 | 3-1/2" |
| S4C400 | 4" |

EMT Connector With Throat Set Screw Type

Conector EMT Con Tornillo y Sello

Material: Steel with Zinc Coating
Standard: UL 514B
1/2"~1" with 1 Screw
1-1/4"~4" with 2 Screws



| CAT# | Trade Size |
|--------|------------|
| S3I050 | 1/2" |
| S3I075 | 3/4" |
| S3I100 | 1" |
| S3I125 | 1-1/4" |
| S3I150 | 1-1/2" |
| S3I200 | 2" |
| S3I250 | 2-1/2" |
| S3I300 | 3" |
| S3I350 | 3-1/2" |
| S3I400 | 4" |

EMT Connector With Throat Compression Type

Conector EMT A Compresion Con Sello

Material: Steel with Zinc Coating
Standard: UL 514B



| CAT# | Trade Size |
|---------|------------|
| S3CI050 | 1/2" |
| S3CI075 | 3/4" |
| S3CI100 | 1" |
| S3CI125 | 1-1/4" |
| S3CI150 | 1-1/2" |
| S3CI200 | 2" |
| S3CI250 | 2-1/2" |
| S3CI300 | 3" |
| S3CI350 | 3-1/2" |
| S3CI400 | 4" |

EMT Connector Screw Type

Conector EMT Con Tornillo

Material: Zinc
Standard: UL 514B
1/2"~1" with 1 Screw
1-1/4"~4" with 2 Screws



| CAT# | Trade Size |
|-------|------------|
| Z3050 | 1/2" |
| Z3075 | 3/4" |
| Z3100 | 1" |
| Z3125 | 1-1/4" |
| Z3150 | 1-1/2" |
| Z3200 | 2" |
| Z3250 | 2-1/2" |
| Z3300 | 3" |
| Z3350 | 3-1/2" |
| Z3400 | 4" |

EMT Connector Compression Type

Conector EMT A Compresion

Material: Zinc
Standard: UL 514B



| CAT# | Trade Size |
|-------|------------|
| Z7050 | 1/2" |
| Z7075 | 3/4" |
| Z7100 | 1" |
| Z7125 | 1-1/4" |
| Z7150 | 1-1/2" |
| Z7200 | 2" |

EMT Coupling Screw Type

Copla EMT Con Tornillo

Material: Zinc
Standard: UL 514B
1/2"~1" with 2 Screws
1-1/4"~4" with 4 Screws



| CAT# | Trade Size |
|-------|------------|
| Z4050 | 1/2" |
| Z4075 | 3/4" |
| Z4100 | 1" |
| Z4125 | 1-1/4" |
| Z4150 | 1-1/2" |
| Z4200 | 2" |
| Z4250 | 2-1/2" |
| Z4300 | 3" |
| Z4350 | 3-1/2" |
| Z4400 | 4" |

EMT Coupling Compression Type

Copla EMT A Compresion

Material: Zinc
Standard: UL 514B



| CAT# | Trade Size |
|-------|------------|
| Z8050 | 1/2" |
| Z8075 | 3/4" |
| Z8100 | 1" |
| Z8125 | 1-1/4" |
| Z8150 | 1-1/2" |
| Z8200 | 2" |

EMT Connector With Throat Screw Type

Conector EMT Con Tornillo y Sello

Material: Zinc
Standard: UL 514B
1/2"~1" with 1 Screw
1-1/4"~4" with 2 Screws



| CAT# | Trade Size |
|--------|------------|
| Z3I050 | 1/2" |
| Z3I075 | 3/4" |
| Z3I100 | 1" |
| Z3I125 | 1-1/4" |
| Z3I150 | 1-1/2" |
| Z3I200 | 2" |
| Z3I250 | 2-1/2" |
| Z3I300 | 3" |
| Z3I350 | 3-1/2" |
| Z3I400 | 4" |

EMT Connector With Throat Compression Type

Conector EMT A Compresion Con Sello

Material: Zinc
Standard: UL 514B



| CAT# | Trade Size |
|--------|------------|
| Z7I050 | 1/2" |
| Z7I075 | 3/4" |
| Z7I100 | 1" |
| Z7I125 | 1-1/4" |
| Z7I150 | 1-1/2" |
| Z7I200 | 2" |

EMT Connector Screw Type

Conector EMT Con Tornillo

Material: Aluminum
1/2"~1" with 1 Screw
1-1/4"~4" with 2 Screws



| CAT# | Trade Size |
|-------|------------|
| A3050 | 1/2" |
| A3075 | 3/4" |
| A3100 | 1" |
| A3125 | 1-1/4" |
| A3150 | 1-1/2" |
| A3200 | 2" |
| A3250 | 2-1/2" |
| A3300 | 3" |
| A3350 | 3-1/2" |
| A3400 | 4" |

EMT Coupling Screw Type

Copla EMT Con Tornillo

Material: Aluminum
1/2"~1" with 2 Screws
1-1/4"~4" with 4 Screws



| CAT# | Trade Size |
|-------|------------|
| A4050 | 1/2" |
| A4075 | 3/4" |
| A4100 | 1" |
| A4125 | 1-1/4" |
| A4150 | 1-1/2" |
| A4200 | 2" |
| A4250 | 2-1/2" |
| A4300 | 3" |
| A4350 | 3-1/2" |
| A4400 | 4" |

Service Entrance Cap Clamp Type

Cabeza Servicio Para EMT

Installation with EMT Conduit
Material: Aluminum



| CAT# | Trade Size |
|-------|------------|
| CC050 | 1/2" |
| CC075 | 3/4" |
| CC100 | 1" |
| CC125 | 1-1/4" |
| CC150 | 1-1/2" |
| CC200 | 2" |
| CC250 | 2-1/2" |
| CC300 | 3" |
| CC350 | 3-1/2" |
| CC400 | 4" |

EMT to EMT Elbow

Codo de Paso EMT a EMT

Material: Zinc

| CAT# | Trade Size |
|------|------------|
| ZE50 | 1/2" |
| ZE75 | 3/4" |



Material: Zinc

| CAT# | Trade Size |
|-------|------------|
| PEE50 | 1/2" |
| PEE75 | 3/4" |
| PEE10 | 1" |



EMT Strap 1 Hole

EMT Abrazadera 1 Agujero

Material: Steel with Zinc Coating



| CAT# | Trade Size |
|--------|------------|
| SPE050 | 1/2" |
| SPE075 | 3/4" |
| SPE100 | 1" |
| SPE125 | 1-1/4" |
| SPE150 | 1-1/2" |
| SPE200 | 2" |
| SPE250 | 2-1/2" |
| SPE300 | 3" |
| SPE350 | 3-1/2" |
| SPE400 | 4" |

EMT Strap 2 Holes

Abrazadera EMT 2 Agujeros

Material: Steel with Zinc Coating



| CAT# | Trade Size |
|--------|------------|
| DPE050 | 1/2" |
| DPE075 | 3/4" |
| DPE100 | 1" |
| DPE125 | 1-1/4" |
| DPE150 | 1-1/2" |
| DPE200 | 2" |
| DPE250 | 2-1/2" |
| DPE300 | 3" |
| DPE350 | 3-1/2" |
| DPE400 | 4" |

Authorized distributor



汉纳森电气
HANYSEN
PERFECT ELECTRICAL SOLUTION

Tel/Fax:+86 571 82675286
Cell/Wechat:+86 18058129110
Rm1405, Office Building B, Henglong Square,
Xiaoshan District, Hangzhou, Zhejiang, China
info@hanysen.net benson@hanysen.net