


ELECTRICAL PRODUCTS CATALOG



IMC (Pre-Galvanized) IMC Tubo Galvanizado

Underwriters Laboratories Safety Standard UL 1242
Manufactured in accordance with ANSI C80.6

CAT#	Trade Size	Outside Dia.	Wall Thickness	Length
		mm	mm	ft.
IPS050	1/2"	20.70	1.78	10
IPS075	3/4"	26.10	1.90	10
IPS100	1"	32.80	2.15	10
IPS125	1-1/4"	41.59	2.15	10
IPS150	1-1/2"	47.80	2.29	10
IPS200	2"	59.90	2.41	10
IPS250	2-1/2"	72.57	3.50	10
IPS300	3"	88.29	3.50	10
IPS350	3-1/2"	100.86	3.50	10
IPS400	4"	113.40	3.50	10



IMC (Hot-Dip Galvanized) IMC Tubo Hot Dip Galvanizado

Underwriters Laboratories Safety Standard UL 1242
Manufactured in accordance with ANSI C80.6

CAT#	Trade Size	Outside Dia.	Wall Thickness	Length
		mm	mm	ft.
IPH050	1/2"	20.70	2.00	10
IPH075	3/4"	26.10	2.00	10
IPH100	1"	32.80	2.25	10
IPH125	1-1/4"	41.59	2.25	10
IPH150	1-1/2"	47.80	2.50	10
IPH200	2"	59.90	2.50	10
IPH250	2-1/2"	72.57	3.50	10
IPH300	3"	88.29	3.50	10
IPH350	3-1/2"	100.86	3.50	10
IPH400	4"	113.40	3.50	10

RSC (Hot-Dip Galvanized) Rigido Tubo Hot Dip Galvanizado

Underwriters Laboratories Safety Standard UL 6
Manufactured in accordance with ANSI C80.1

CAT#	Trade Size	Outside Dia.	Wall Thickness	Length
		mm	mm	ft.
RPH050	1/2"	21.00	2.50	10
RPH075	3/4"	26.00	2.50	10
RPH100	1"	33.00	3.00	10
RPH125	1-1/4"	42.00	3.25	10
RPH150	1-1/2"	48.00	3.25	10
RPH200	2"	60.00	3.50	10
RPH250	2-1/2"	73.00	4.50	10
RPH300	3"	88.50	4.75	10
RPH400	4"	114.00	5.25	10
RPH600	6"	168.00	6.25	10

IMC Elbow 90° - Pre-Galvanized Curva IMC 90°



CAT#	Trade Size	Radius (mm)
IRE050	1/2"	102
IRE075	3/4"	114
IRE100	1"	146
IRE125	1-1/4"	184
IRE150	1-1/2"	210
IRE200	2"	241
IRE250	2-1/2"	267
IRE300	3"	330
IRE400	4"	406

RSC Elbow 90° - Hot Dip Galvanized Curva RSC 90°



CAT#	Trade Size	Radius (mm)
RE050	1/2"	102
RE075	3/4"	114
RE100	1"	146
RE125	1-1/4"	184
RE150	1-1/2"	210
RE200	2"	241
RE250	2-1/2"	267
RE300	3"	330
RE400	4"	406

IMC Elbow 45° - Pre-Galvanized Curva EMT 45°



CAT#	Trade Size	Radius (mm)
HRE050	1/2"	304
HRE075	3/4"	380
HRE100	1"	457
HRE125	1-1/4"	609
HRE150	1-1/2"	762
HRE200	2"	914

Hot-dip galvanized is available as required

Hot-dip galvanized is available as required

IMC Connector Compression Type

Conector IMC Tipo de Compresión

Material: Steel with Zinc Coating



CAT#	Trade Size
I7050	1/2"
I7075	3/4"
I7100	1"
I7125	1-1/4"
I7150	1-1/2"
I7200	2"
I7250	2-1/2"
I7300	3"
I7350	3-1/2"
I7400	4"

IMC Coupling Compression Type

Copla IMC Tipo de Compresión

Material: Steel with Zinc Coating



CAT#	Trade Size
I8050	1/2"
I8075	3/4"
I8100	1"
I8125	1-1/4"
I8150	1-1/2"
I8200	2"
I8250	2-1/2"
I8300	3"
I8350	3-1/2"
I8400	4"

Service Entrance Cap Threaded Type

Cabeza Servicio Para IMC

Installation with IMC Conduit
Material: Aluminum



CAT#	Trade Size
CT050	1/2"
CT075	3/4"
CT100	1"
CT125	1-1/4"
CT150	1-1/2"
CT200	2"
CT250	2-1/2"
CT300	3"
CT350	3-1/2"
CT400	4"

Conduit Bushing

Monitores

Material: Zinc
Standard: UL 514B



CAT#	Trade Size
Q050	1/2"
Q075	3/4"
Q100	1"
Q125	1-1/4"
Q150	1-1/2"
Q200	2"
Q250	2-1/2"
Q300	3"
Q350	3-1/2"
Q400	4"

Conduit Bushing With Throat

Monitores Con Sello

Material: Zinc
Standard: UL 514B



CAT#	Trade Size
IB050	1/2"
IB075	3/4"
IB100	1"
IB125	1-1/4"
IB150	1-1/2"
IB200	2"
IB250	2-1/2"
IB300	3"
IB350	3-1/2"
IB400	4"

Grounding Bushing

Monitores Con Aislacion A Tierra

Material: Malleable Iron
Standard: UL 514B



CAT#	Trade Size
GB050	1/2"
GB075	3/4"
GB100	1"
GB125	1-1/4"
GB150	1-1/2"
GB200	2"
GB250	2-1/2"
GB300	3"
GB350	3-1/2"
GB400	4"

Steel Lock Nut

Contratuera de Acero

Material: Steel with Zinc Coating
Standard: UL 514B



CAT#	Trade Size
LN050	1/2"
LN075	3/4"
LN100	1"
LN125	1-1/4"
LN150	1-1/2"
LN200	2"
LN250	2-1/2"
LN300	3"
LN350	3-1/2"
LN400	4"

Zinc Lock Nut

Contratuera de Zinc

Material: Zinc
Standard: UL 514B



CAT#	Trade Size
LNZ050	1/2"
LNZ075	3/4"
LNZ100	1"
LNZ125	1-1/4"
LNZ150	1-1/2"
LNZ200	2"
LNZ250	2-1/2"
LNZ300	3"
LNZ350	3-1/2"
LNZ400	4"

IMC Coupling

Copla IMC

Material: Steel with Zinc Coating
Standard: UL 1242



CAT#	Trade Size
IC050	1/2"
IC075	3/4"
IC100	1"
IC125	1-1/4"
IC150	1-1/2"
IC200	2"
IC250	2-1/2"
IC300	3"
IC350	3-1/2"
IC400	4"
IC500	5"
IC600	6"
IC800	8"
IC1000	10"

Rigid Coupling

Copla Rígido

Material: Steel with Zinc Coating
Standard: UL 1242



CAT#	Trade Size
RGC050	1/2"
RGC075	3/4"
RGC100	1"
RGC125	1-1/4"
RGC150	1-1/2"
RGC200	2"
RGC250	2-1/2"
RGC300	3"
RGC350	3-1/2"
RGC400	4"
RGC500	5"
RGC600	6"
RGC800	8"
RGC1000	10"

Threaded Hub

Conetor Hub Estanco

Material: Zinc
Standard: UL 514B



CAT#	Trade Size
TH050	1/2"
TH075	3/4"
TH100	1"
TH125	1-1/4"
TH150	1-1/2"
TH200	2"
TH250	2-1/2"
TH300	3"
TH350	3-1/2"
TH400	4"

Grounding Hub

Hub de Puesta a Tierra

Material: Zinc
Standard: UL 514B



CAT#	Trade Size
THG050	1/2"
THG075	3/4"
THG100	1"
THG125	1-1/4"
THG150	1-1/2"
THG200	2"
THG250	2-1/2"
THG300	3"
THG350	3-1/2"
THG400	4"

IMC Strap 1 Hole

IMC Abrazadera 1 Agujero

Material: Steel with Zinc Coating



CAT#	Trade Size
SPR050	1/2"
SPR075	3/4"
SPR100	1"
SPR125	1-1/4"
SPR150	1-1/2"
SPR200	2"
SPR250	2-1/2"
SPR300	3"
SPR350	3-1/2"
SPR400	4"

IMC Strap 2 Holes

IMC Abrazadera 2 Agujeros

Material: Steel with Zinc Coating



CAT#	Trade Size
DPR050	1/2"
DPR075	3/4"
DPR100	1"
DPR125	1-1/4"
DPR150	1-1/2"
DPR200	2"
DPR250	2-1/2"
DPR300	3"
DPR350	3-1/2"
DPR400	4"

IMC to IMC Pull Elbow

Codo de Paso IMC a IMC

Material: Zinc



CAT#	Trade Size
PER50	1/2"
PER75	3/4"
PER10	1"

Reducing Bushing

Bushing de Reduccion

Material: Steel with Zinc Coating



CAT#	Trade Size
75050	3/4" x 1/2"
100050	1" x 1/2"
100075	1" x 3/4"
125050	1-1/4" x 1/2"
125075	1-1/4" x 3/4"
125100	1-1/4" x 1"
150050	1-1/2" x 1/2"
150075	1-1/2" x 3/4"
150100	1-1/2" x 1"
150125	1-1/2" x 1-1/4"
200050	2" x 1/2"
200075	2" x 3/4"
200100	2" x 1"
200125	2" x 1-1/4"
200150	2" x 1-1/2"
250200	2-1/2" x 2"
300150	3" x 1-1/2"
300200	3" x 2"
400200	4" x 2"
400300	4" x 3"

Conduit Nipple

Niple Cortos

Material: Steel with Zinc Coating



CAT#	Trade Size
NP050	1/2" _29cm
NP075	3/4" _35cm
NP100	1" _38cm
NP125	1-1/4" _41cm
NP150	1-1/2" _45cm
NP200	2" _57cm

All Threaded Nipple

Hilo Completo Niples Cortos

Material: Steel with Zinc Coating



CAT#	Trade Size
NPT050	1/2"
NPT075	3/4"
NPT100	1"
NPT125	1-1/4"
NPT150	1-1/2"
NPT200	2"

Authorized distributor



汉纳森电气
HANYSEN
PERFECT ELECTRICAL SOLUTION

Tel/Fax:+86 571 82675286
Cell/Wechat:+86 18058129110
Rm1405, Office Building B, Henglong Square,
Xiaoshan District, Hangzhou, Zhejiang, China
info@hanysen.net benson@hanysen.net