

ELECTRICAL PRODUCTS CATALOG



Weatherproof Junction Box & Cover

Features

- Aluminum Die Casted
- Electrostatic Spray Powder Coated
- C/W Closure Plugs and Mounting Lugs

One Gang Box

2" Deep
4-9/16" L x 2-1/16" W



CAT#	Outlet Holes	Hole Size	Cu.Inch
SG503	3	1/2"	18.3
SG753	3	3/4"	18.3
SG504	4	1/2"	18.3
SG754	4	3/4"	18.3
SG505	5	1/2"	18.3
SG755	5	3/4"	18.3

One Gang Box

2-5/8" Deep
4-9/16" L x 2-1/16" W



CAT#	Outlet Holes	Hole Size	Cu.Inch
SGD503	3	1/2"	23.8
SGD753	3	3/4"	23.8
SGD504	4	1/2"	23.8
SGD754	4	3/4"	23.8
SGD505	5	1/2"	23.8
SGD755	5	3/4"	23.8

Two Gang Box

2" Deep
4-9/16" L x 4-9/16" W




CAT#	Outlet Holes	Hole Size	Cu.Inch
DG503	3	1/2"	30.5
DG753	3	3/4"	30.5
DG504	4	1/2"	30.5
DG754	4	3/4"	30.5
DG505	5	1/2"	30.5
DG755	5	3/4"	30.5
DG505X	5	1/2"	30.5
DG755X	5	3/4"	30.5
DG507	7	1/2"	30.5
DG757	7	3/4"	30.5



Three Gang Box

2-5/8" Deep
6-3/8" L x 4-1/2" W



CAT#	Outlet Holes	Hole Size	Cu.Inch
TG507	7	1/2"	54
TG507	7	3/4"	54
TG007	7	1"	54

Round Box

1-5/8" Deep
4" Dia.



CAT#	Outlet Holes	Hole Size	Cu.Inch
RB505	5	1/2"	15.8
RB755	5	3/4"	15.8

Blank Cover

Aluminum / Steel Stamping
C/W Screws and Gasket

CAT#	Material
1BC	Aluminum Sheet
2BC	Aluminum Sheet
3BC	Aluminum Sheet
RBC	Aluminum Sheet

CAT#	Material
1BCS	Powder Coated Steel
2BCS	Powder Coated Steel
3BCS	Powder Coated Steel
RBCS	Powder Coated Steel




Covers with Knockouts

Aluminum Die Casted
C/W Screws and Gasket

CAT#	Shape	Outlet Holes
RC01	Round	1x1/2"
RC02	Round	2x1/2"
RC03	Round	3x1/2"

CAT#	Shape	Outlet Holes
RE01	Rectangle	1x1/2"
RE02	Rectangle	2x1/2"
RE03	Rectangle	3x1/2"



Flip Covers for Devices

Aluminum Die Casted
C/W Screws and Gasket

CAT#	Mount	Device
1CGV	Vertical	1 GFCI
2CGV	Vertical	2 GFCI
1CGH	Horizontal	1 GFCI
1CDH	Horizontal	1 Duplex



Lamp Holder

CAT#: LH150
PAR38 150W
Aluminum Die Casted
C/W Rubber Throat Ring
Color: Grey / Green



Lamp Holder Kit

CAT#: LHK150
PAR38 150W
Aluminum Die Casted
C/W Rubber Throat Ring
Color: Grey / Green



Conduit Body

Features

- Aluminum Die Casted
- Electrostatic Spray Powder Coated
- C/W Aluminum Cover and Gasket

Rigid / IMC Threaded Type



CAT#	Trade Size	Dimension (mm)		
		Length	Width	Height
LL050	1/2"	110	52	35
LL075	3/4"	129	59	41
LL100	1"	150	68	48
LL125	1-1/4"	198	89	64
LL150	1-1/2"	198	89	64
LL200	2"	256	109	86

EMT Set Screw Type



CAT#	Trade Size
ELL050	1/2"
ELL075	3/4"
ELL100	1"
ELL125	1-1/4"
ELL150	1-1/2"
ELL200	2"

Rigid / IMC Threaded Type



CAT#	Trade Size	Dimension (mm)		
		Length	Width	Height
LR050	1/2"	110	52	35
LR075	3/4"	129	59	41
LR100	1"	150	68	48
LR125	1-1/4"	198	89	64
LR150	1-1/2"	198	89	64
LR200	2"	256	109	86

EMT Set Screw Type



CAT#	Trade Size
ELR050	1/2"
ELR075	3/4"
ELR100	1"
ELR125	1-1/4"
ELR150	1-1/2"
ELR200	2"

Rigid / IMC Threaded Type



CAT#	Trade Size	Dimension (mm)		
		Length	Width	Height
LB050	1/2"	110	34	53
LB075	3/4"	129	40	60
LB100	1"	150	46	70
LB125	1-1/4"	198	64	89
LB150	1-1/2"	198	64	89
LB200	2"	256	81	114

EMT Set Screw Type



CAT#	Trade Size
ELB050	1/2"
ELB075	3/4"
ELB100	1"
ELB125	1-1/4"
ELB150	1-1/2"
ELB200	2"

Rigid / IMC Threaded Type



CAT#	Trade Size	Dimension (mm)		
		Length	Width	Height
LC050	1/2"	119	34	35
LC075	3/4"	140	40	41
LC100	1"	163	46	48
LC125	1-1/4"	213	64	64
LC150	1-1/2"	213	64	64
LC200	2"	268	81	86

EMT Set Screw Type



CAT#	Trade Size
ELC050	1/2"
ELC075	3/4"
ELC100	1"
ELC125	1-1/4"
ELC150	1-1/2"
ELC200	2"

Rigid / IMC Threaded Type



CAT#	Trade Size	Dimension (mm)		
		Length	Width	Height
LT050	1/2"	119	52	35
LT075	3/4"	140	59	41
LT100	1"	163	68	48
LT125	1-1/4"	213	89	64
LT150	1-1/2"	213	89	64
LT200	2"	268	109	86

EMT Set Screw Type



CAT#	Trade Size
ELT050	1/2"
ELT075	3/4"
ELT100	1"
ELT125	1-1/4"
ELT150	1-1/2"
ELT200	2"

Authorized distributor



汉纳森电气
HANYSEN
PERFECT ELECTRICAL SOLUTION

Tel/Fax:+86 571 82675286

Cell/Wechat:+86 18058129110

Rm1405, Office Building B, Henglong Square,
Xiaoshan District, Hangzhou, Zhejiang, China

info@hanysen.net benson@hanysen.net