

# ELECTRICAL PRODUCTS CATALOG



## IEC 61386 Electrical Metallic Tubing (EMT) - Pre-Galvanized Tubo Rigido Metalico IEC 61386

CAT#	Trade Size	Outside Dia.		Wall Thickness		Length
		Min	Max	(1)	(2)	
RLT20	20mm	19.7mm	20mm	1.2mm	1.0mm	3 Meters
RLT25	25mm	24.6mm	25mm	1.2mm	1.0mm	3 Meters
RLT32	32mm	31.6mm	32mm	1.4mm	1.0mm	3 Meters
RLT40	40mm	39.6mm	40mm	1.4mm	1.2mm	3 Meters
RLT50	50mm	49.6mm	50mm	1.5mm	1.4mm	3 Meters



### EMT Elbow 90° Curva EMT 90°



CAT#	Trade Size
RLTE20	20mm
RLTE25	25mm
RLTE32	32mm
RLTE40	40mm
RLTE50	50mm

### Sleeve Type EMT Elbow Curva EMT tipo Fast Lock



CAT#	Trade Size
RLE20	20mm
RLE25	25mm
RLE32	32mm
RLE40	40mm
RLE50	50mm

### EMT Connector Set Screw Type

#### Conector EMT Con Tornillo

Material: Zinc



CAT#	Trade Size
Z3020	20mm
Z3025	25mm
Z3032	32mm
Z3040	40mm
Z3050	50mm

### EMT Coupling Set Screw Type

#### Copla EMT Con Tornillo

Material: Zinc



CAT#	Trade Size
Z4020	20mm
Z4025	25mm
Z4032	32mm
Z4040	40mm
Z4050	50mm

### EMT Connector Set Screw Type

#### Conector EMT Con Tornillo

Material: Steel with Zinc Coating



CAT#	Trade Size
JDG3020	20mm
JDG3025	25mm
JDG3032	32mm

### EMT Coupling Set Screw Type

#### Copla EMT Con Tornillo

Material: Steel with Zinc Coating



CAT#	Trade Size
JDG4020	20mm
JDG4025	25mm
JDG4032	32mm

### EMT Connector Fast Lock Type

#### EMT Conector tipo Fast Lock

Material: Steel with Zinc Coating



CAT#	Trade Size
RL320	20mm
RL325	25mm
RL332	32mm
RL340	40mm
RL350	50mm

### EMT Coupling Fast Lock Type

#### EMT Copla tipo Fast Lock

Material: Steel with Zinc Coating



CAT#	Trade Size
RL420	20mm
RL425	25mm
RL432	32mm
RL440	40mm
RL450	50mm

### Conduit Strap 1 Hole

#### Abrazadera de Conducto 1 Agujero

Material: Steel with Zinc Coating



CAT#	Trade Size
BSSS20	20mm
BSSS25	25mm
BSSS32	32mm
BSSS40	40mm
BSSS50	50mm

### Conduit Strap 2 Holes

#### Abrazadera de Conducto 2 Agujeros

Material: Steel with Zinc Coating



CAT#	Trade Size
BSSD20	20mm
BSSD25	25mm
BSSD32	32mm
BSSD40	40mm
BSSD50	50mm

### Strut Clamp RUC Type

Material: Steel with Zinc Coating



CAT#	Trade Size
21020	20mm
21025	25mm
21032	32mm
21040	40mm
21050	50mm

### Conduit Clip

Material: Manganese Steel



CAT#	Trade Size
CC20	20/25mm
CC32	32mm
CC40	40mm
CC50	50mm

### IEC Outlet Box

Material: Steel with Zinc Coating  
C/W Cover & Rubber Gasket



CAT#	Specification
Pre-Gal.	
SJB01	118*76*40*0.9mm
SJB02	100*65*65*1.0mm
SJB03	100*100*65*1.0mm
SJB04	150*150*100*1.0mm
SJB05	200*100*100*1.0mm
SJB06	200*200*100*1.0mm
SJB07	300*200*100*1.2mm
SJB08	300*200*150*1.2mm
SJB09	400*300*150*1.2mm
SJB10	100*100*50*1.0mm

Hot-dip galvanized is available as required

### Strut Clamp RC Type

Material: Steel with Zinc Coating



CAT#	Trade Size
31020	20mm
31025	25mm
31032	32mm
31040	40mm
31050	50mm

### Conduit Hanger

Material: Steel with Zinc Coating



CAT#	Trade Size
22020	20mm
22025	25mm
22032	32mm
22040	40mm
22050	50mm

## Galvanized Steel Flexible Conduit

### Flexible Conduit De Acero Glvanizado

Material: Galvanized steel Strip(Square Lock)

Colour: Natural Operating

CAT#	Trade Size	Inside Dia.	Outside Dia.	Bending Radius
		mm	mm	mm
GFC16	16mm	13.0	16.0	35
GFC20	20mm	16.9	20.5	35
GFC25	25mm	21.4	25.0	45
GFC32	32mm	28.1	32.0	50
GFC40	40mm	37.7	42.5	65
GFC50	50mm	48.4	53.0	85
GFC63	63mm	57.5	62.5	90



## Liquid Tight Flexible Conduit

### Flexible Metalico Conduit Pesado Forrado En PVC

Material: Galvanized Steel Strip (Square Lock), Heavy Duty PVC Jacket

Standard: IEC

Colour: Black, Grey

CAT#	Trade Size	Inside Dia.	Outside Dia.	Bending Radius
		mm	mm	mm
LFC16	16mm	13.0	17.0	100
LFC20	20mm	16.9	21.5	120
LFC25	25mm	21.4	26.0	140
LFC32	32mm	28.1	34.0	180
LFC40	40mm	37.7	44.5	220
LFC50	50mm	48.4	55.0	270
LFC63	63mm	57.5	64.5	310



## PVC Coated Steel Flexible Conduit

### Flexible Metalico Conduit Cubierta PVC

Material: Galvanized steel Strip(Square Lock), Vacuum PVC Jacket

Standard: IEC

Colour: Black, Grey

CAT#	Trade Size	Inside Dia.	Outside Dia.	Bending Radius
		mm	mm	mm
PFC16	16mm	13	17	70
PFC20	20mm	16.9	21.5	70
PFC25	25mm	21.4	26	70
PFC32	32mm	28.1	34	100
PFC40	40mm	37.7	44.5	120
PFC50	50mm	48.4	55	170
PFC63	63mm	57.5	64.5	200



**Flexible Conduit Straight Connector****Conector Recto Para Flexible Metalico Con PVC**

Material: Zinc  
Flex to Box  
Plum Type, Matte



CAT#	Trade Size
M41016	16mm
M41020	20mm
M41025	25mm
M41032	32mm
M41040	40mm
M41050	50mm
M41063	63mm
M41075	75mm
M41090	90mm
M41110	110mm

Material: Zinc  
Flex to Box  
Hexagonal Type, Bright



CAT#	Trade Size
B41016	16mm
B41020	20mm
B41025	25mm
B41032	32mm
B41040	40mm
B41050	50mm
B41063	63mm
B41075	75mm
B41090	90mm
B41110	110mm

**Flexible Conduit Connector 90°****Conector Curvos 90° Para Flexible Metalico Con PVC**

Material: Zinc  
Flex to Box  
Plum Type, Matte



CAT#	Trade Size
M40016	16mm
M40020	20mm
M40025	25mm
M40032	32mm
M40040	40mm
M40050	50mm
M40063	63mm
M40075	75mm
M40090	90mm
M40110	110mm

Material: Zinc  
Flex to Box  
Hexagonal Type, Bright



CAT#	Trade Size
B40038	16mm
B40050	20mm
B40075	25mm
B40100	32mm
B40125	40mm
B40150	50mm
B40200	63mm
B40250	75mm
B40300	90mm
B40400	110mm

**Flexible Conduit Coupling****Copla Recto Con Tornillo Para Conducto Flexible**

Material: Zinc  
EMT to Flex  
Plum Type, Matte



CAT#	Trade Size
M42016	16mm
M42020	20mm
M42025	25mm
M42032	32mm
M42042	40mm
M42050	50mm
M42063	63mm
M42075	75mm
M42090	90mm
M42110	110mm

Material: Zinc  
EMT to Flex  
Hexagonal Type, Bright



CAT#	Trade Size
B42016	16mm
B42020	20mm
B42025	25mm
B42032	32mm
B42042	40mm
B42050	50mm
B42063	63mm
B42075	75mm
B42090	90mm
B42110	110mm

**Flexible Conduit Coupling****Copla Recto Con Roscado Para Conducto Flexible**

Material: Zinc  
Rigid to Flex  
Plum Type, Matte



CAT#	Trade Size
M43016	16mm
M43020	20mm
M43025	25mm
M43032	32mm
M43043	40mm
M43050	50mm
M43063	63mm
M43075	75mm
M43090	90mm
M43110	110mm

Material: Zinc  
Rigid to Flex  
Hexagonal Type, Bright



CAT#	Trade Size
B43016	16mm
B43020	20mm
B43025	25mm
B43032	32mm
B43043	40mm
B43050	50mm
B43063	63mm
B43075	75mm
B43090	90mm
B43110	110mm

*Authorized distributor*



**汉纳森电气**  
**HANYSEN**  
PERFECT ELECTRICAL SOLUTION

Tel/Fax:+86 571 82675286

Cell/Wechat:+86 18058129110

Rm1405, Office Building B, Henglong Square,  
Xiaoshan District, Hangzhou, Zhejiang, China

info@hanysen.net benson@hanysen.net